CPSC 219 Introduction to Computer Science for Multidisciplinary Studies II

Instructor: Mark Hancock

January 13, 2009

Lecture 01 Summary

- Administrivia
- Expectations
- Purpose of Programming
- Course Goals & Objectives
- Interpreters vs. Compilers
- Syntax Errors vs. Semantic Errors

January 13, 2009

Slides by Mark Hancock

Administrivia

January 13, 2009

Slides by Mark Hancock

Office Hours

- MS 616
- TR 11:00-12:00 (or by appointment)
- Email: msh@cs.ucalgary.ca
- Phone: 210-9499

January 13, 2009

Slides by Mark Hancock

Textbooks

- Head First Java, 2nd Edition (required)
 Kathy Sierra and Bert Bates (O'Reilly & Associates)
- C Programming Language (recommended)
 Brian Kernighan and Dennis Ritchie (*Prentice Hall*)

January 13, 2009

Slides by Mark Hancock

5

Grading

- Assignments (50 %)
- Midterm (25 %)
- Final (25 %)

January 13, 2009

Slides by Mark Hancock

Assignments

Assignment #	Weight	Due Date
1	5%	Friday, Feb 6
2	7.5%	Friday, Feb 20
3	15%	Friday, Mar 13
4	15%	Friday, Apr 3
5	7.5%	Friday, Apr 17

January 13, 2009

Slides by Mark Hancock

7

Academic Misconduct

• Working together vs. plagiarism

January 13, 2009

Slides by Mark Hancock

Expectations

January 13, 2009 Slides by Mark Hancock

Purpose of Programming


January 13, 2009 Slides by Mark Hancock

By the end of this 30 minute section, you will be able to identify two different uses of a computer program, outside of the field of Computer Science.

January 13, 2009 Slides by Mark Hancock

Activity: Draw a computer

January 13, 2009 Slides by Mark Hancock





Elements of a Program

- Input
 - Sources: people, internet, weather, cameras, etc.
- Sequence of steps
 - Magic happens
- Output
 - Display the result: on a screen, as sound, etc.

January 13, 2009

Slides by Mark Hancock

15


Example Program

Tip Calculator:

- Input
 - Bill and tip amount entered by person
- Sequence of steps
 - Magic happens
- Output
 - Amount of tip displayed on screen

January 13, 2009

Slides by Mark Hancock



In pairs, describe two possible computer programs (one in each person's discipline).

January 13, 2009

Slides by Mark Hancock

Example Program

Tip Calculator:

- Input
 - Bill and tip amount entered by person
- Sequence of steps
 - Magic happens
- Output
 - Amount of tip displayed on screen

January 13, 2009

Slides by Mark Hancock

19

Course Goals & Objectives

January 13, 2009

Slides by Mark Hancock

How do we get the computer to perform a sequence of steps on a particular input to produce some sort of useful output?

How do we solve problems with a computer program?

January 13, 2009

Slides by Mark Hancock

21

Can we make this sequence of steps be reusable by someone else looking to solve a similar problem?

January 13, 2009

Slides by Mark Hancock

How do we ensure that our program does what we want it to do?

January 13, 2009

Slides by Mark Hancock

Change the way we think about this process: **Object-Oriented Programming**

January 13, 2009

Slides by Mark Hancock

Course Goals

- This course aims to help the student develop an awareness of:
 - how objects can be used as a basis for solving problems;
 - how to implement solutions using an object-oriented language;
 - how to apply object-oriented problem-solving techniques to scientific areas of study;
 - the nature of *objects* and their relationship to information and information processing; and
 - how to develop solutions which exhibit elements of good style.

January 13, 2009 Slides by Mark Hancock

Course Objectives

- By the end of this course students should be able to:
 - analyse problems using an object-oriented framework;
 - design and implement solutions using object-oriented concepts:
 - encapsulation
 - inheritance
 - polymorphism;
 - create and execute unit tests on implemented solutions; and
 - evaluate the quality of program designs.

January 13, 2009 Slides by Mark Hancock 26

Programming Languages: C and Java

January 13, 2009 Slides by Mark Hancock

What "language" does the computer use to execute a sequence of steps?

January 13, 2009 Slides by Mark Hancock 28

Machine Code

"Machine code or machine language is a system of instructions and data executed directly by a computer's **central processing unit**."

Source: Wikipedia

Each CPU has its own instruction set.

- Arithmetic: add, subtract, multiply, divide
- Move data from place to place
- Control flow: e.g., if, goto, call a function
- Logic: and, or, not, exclusive or (XOR)

January 13, 2009 Slides by Mark Hancock 29

Machine Code Example

Instruction: add registers 1 and 2 and place the result in register 6 (MIPS architecture)

0 1 2 6 0 32 Decimal 000000 000001 000010 00110 000000 100000 Binary

January 13, 2009 Slides by Mark Hancock 30

Assembly Language

One-to-one mapping from machine code to "human-readable" instruction.

January 13, 2009

Slides by Mark Hancock

31

Assembly Language

Motorola 68000 CPU:

- ADD: add two operands together and store the result in the destination operand
- MULU: multiplies a 16-bit data register by a 16-bit effective address operand leaving the 32-bit result in the data register
- MOVE: Copies a byte (8 bits), word (16 bits) or long word (32 bits) from one effective address to another

January 13, 2009

Slides by Mark Hancock

Assembly Language Example

Evaluate the equation: A2 = A0 * A1 + A3

lea \$1000, A0
lea \$1004, A1
lea \$1008, A2
lea \$100A, A3
move.l (A0), D0
move.l (A1), D1
mulu D0, D1
move.l (A3), D0
add.l D1, D0
move.l D0, (A2)

January 13, 2009

Slides by Mark Hancock

22

How would you write a program that evaluates that equation in Python?

Equation: A2 = A0 * A1 + A3

January 13, 2009

Slides by Mark Hancock

$$A2 = A0 * A1 + A3$$

January 13, 2009

Slides by Mark Hancock

Summary

- Machine code is a set of binary instructions specific to a CPU
- Assembly language is a one-to-one mapping from machine instructions to "humanreadable" instructions
- Reading and writing code in a language like Python is much easier

January 13, 2009

Slides by Mark Hancock

Interpreters vs. Compilers

January 13, 2009 Slides by Mark Hancock

By the end of this 30 minute section, you will be able to describe the steps necessary to run a compiled program.


Slides by Mark Hancock

January 13, 2009

Can the CPU understand Python (or C/Java)? Why/why not?

January 13, 2009

39




Slides by Mark Hancock

Steps required

- Write the source code in a text file
 - E.g., HelloWorld.py
- Run the program
 - Execute the following command (e.g., in Unix):

python HelloWorld.py

January 13, 2009 Slides by Mark Hancock 4



Steps required

- · Write the source code in a text file
 - E.g., HelloWorld.c
- Compile the source code
 - Execute the following command (e.g.):

```
gcc HelloWorld.c
```

- Run the program
 - Execute the following command (e.g., in Unix):

```
./a.out
```

January 13, 2009 Slides by Mark Hancock

Demo

January 13, 2009 Slides by Mark Hancock 44

Java is a compiled language. What steps are necessary to run a program written in Java?

January 13, 2009

Slides by Mark Hancock

Steps

- · Write the source code in a text file
 - E.g., HelloWorld.java
- Compile the source code
 - Execute the following command (e.g.):

```
javac HelloWorld.java
```

- · Run the program
 - Execute the following command (e.g.):

java HelloWorld

January 13, 2009

Slides by Mark Hancock

Why not learn one language and use it for everything?

January 13, 2009

Slides by Mark Hancock

47

In this course

- Pointers:
 - Assembly language
 - $-\mathbf{C}$
- Abstract Data Types:
 - Python
 - Java

January 13, 2009

Slides by Mark Hancock

Syntax Errors vs. Semantic Errors

January 13, 2009 Slides by Mark Hancock

By the end of this 15 minute section, you will be able to distinguish between a syntax error and a semantic error.

January 13, 2009

Slides by Mark Hancock

With a natural language (e.g., English), what is the difference between syntax and semantics?

January 13, 2009

Slides by Mark Hancock

Syntax error in English:

- "I accidentally the whole class."

Semantic error in English:

- "I've been alive for five light years."

January 13, 2009

Slides by Mark Hancock

Syntax Error

- An error caused by incorrect use of the syntax of the programming language
- Result:
 - Compiled language?
 - Interpreted language?

January 13, 2009

Slides by Mark Hancock

53

Syntax Error: Example

January 13, 2009

Slides by Mark Hancock

Semantic Error

- An error caused by code which may be readable by the computer, but has incorrect logic
- Result:
 - Compiled language?
 - Interpreted language?

January 13, 2009

January 13, 2009

Slides by Mark Hancock

55

Semantic Error: Example

```
Python
def addInts(a, b):
                               int addInts(int a, int b)
 return a + b
                                  return a + b;
x = addInts(10, 20)
print "x = %i n" % x
                              int main()
y = addInts(200, "Hello")
                                  int x;
                                  int y;
                                  x = addInts(10, 20);
                                   printf("x = %d\n", x);
                                  y = addInts(200,
                                 "Hello");
                               }
```

Slides by Mark Hancock

Find the errors

```
a = [1, 2, 3, 4]
i = 0
while i < 4
i=i+1
print a[i]</pre>
```

January 13, 2009

Slides by Mark Hancock

57

One way to fix

```
a = [1, 2, 3, 4]
i = 0
while i < 4:
   print a[i]
   i=i+1</pre>
```

January 13, 2009

Slides by Mark Hancock

Lecture 01 Summary

- Administrivia
- Expectations
- Purpose of Programming
- Course Goals & Objectives
- Interpreters vs. Compilers
- Syntax Errors vs. Semantic Errors

January 13, 2009

Slides by Mark Hancock

59

Next Class

C/Java Syntax

January 13, 2009

Slides by Mark Hancock